

MovieTech


GRIP EQUIPMENT YOU CAN RELY ON

Products & Accessories 10/2023

Since 1993

DOLLIES | CRANES | SLIDERS | TRACKS | ACCESSORIES





ABOUT US



For more than 25 years, the name MovieTech stands for professional film equipment.

Our aim is to find optimal solutions to move the camera and facilitate the work on the film set by providing highly functional and reliable products.

To keep this promise, our products are carefully developed and manufactured in our factory in Munich. In order to meet the needs and desires of our customers and to cope with the changing conditions of the market, we cooperate constantly with end users, rental companies and universities.

We offer a wide range of accessories that can be combined with each other and used with a large variety of products. Due to this we are able to achieve a wide variety of applications and combinations.

By providing reliable maintenance and rapid repair services we further help you to prevent interruptions and keep downtimes short. Thanks to a large network of dealers, distributors and rentals, our products can be purchased or rented worldwide. You will find MovieTech equipment on film sets almost anywhere in the world.

The product range of the MovieTech brand includes camera cranes, dollies, remote heads and track systems.

Additionally, we offer lightweight equipment for broadcast and video under the brand ABC Products.

Please visit our ABC Products's website for more information.

MTS Media Technical System s.r.o. is also part of the MovieTech family, offering premium solutions and services in the field of studio and stage technology.

MovieTech is therefore active in the manufacturing of products for the whole media market ranging from film and broadcast to video and studio equipment.

MovieTech AG
Martin-Kollar-Str. 9
81829 München
Germany

Tel.: +49(0)89-43 68 91 3
Fax: +49(0)89-43 68 91 55



@movietech_filmequipment

Visit our Websites:



www.movietech.de



www.abc-products.de



www.mts-germany.com






CONTENT


MovieTech

ABC

2	ABOUT US
6 - 9	MAGNUM DOLLY
10 - 11	ALPHA DOLLY
12 - 13	4 x 4 DOLLY
14	U-BANGI
15	EASY GO DOLLY
16 - 17	SCOOTER DOLLY
18 - 19	GRIP KIT
20 - 21	GIZMO JIB
22	MOVIE JIB
23	MINI JIB
24	KIRIN DUO JIB
25	JIB 100
26 - 33	KIRIN CRANE - REMOTE, PLATFORM, JIB, CRANE DOLLIES
34 - 35	CRANE 120 AND CRANE DOLLIES
36 - 37	REMOTE HEAD P10, PELÉ AND ALEX
38 - 39	MASTER TRACK
40 - 41	4 WAY LEVELLERS AND 3 WAY LEVELLERS
42 - 47	GENERAL ACCESSORIES AND CASES
48 - 49	ABC PRODUCTS







MAGNUM DOLLY

YOUR TRUSTED COMPANION ON EVERY SET!

The MAGNUM DOLLY is the flagship in the MovieTech product line.

The Dolly is a true workhorse whose quality is the result of decades of experience and constant detail improvements. Quality, reliability, safety and user-friendliness are top priorities.


We know exactly how important it is to be able to rely on the equipment. This is especially true in the tough conditions on set. Our guiding principle is "Grip equipment you can rely on". To meet the high quality demands of our dollies, we produce almost all components in-house in our production in Munich – MADE IN GERMANY !

The latest MAGNUM DOLLY comes with plenty of improvements, right down to the very last detail. Dolly grips will love the new features.

Some of the most essential new features are:

- a completely redesigned multi-functional turnstile
- a new ergonomic telescopic handlebar with backlash-free connection to the dolly
- use of high-strength materials on extremely stressed components (e.g. turnstile)
- a new, ergonomic and ultra-stable seat mount
- a new surface with scratch-resistant HART-COAT® and NUCOTEC® technology
- patented column-plate system
- 40% lighter platforms with anti-slip coating
- extra wide studio tires with smoother running (optional)
- completely new position-locking turnstile brake
- a revised electronic unit
- a completely new Kirin-Duo-Jib-System
- a new motor unit
- and much more

QR Code:
How to program my
Magnum Dolly?



**MADE
IN
GERMANY**

NEW!

**MULTIFUNCTIONAL
TURNSTYLE**

NEW!

**HART-COAT®
SURFACE TREATMENT**

NEW!

**TELESCOPIC
STEERING**

NEW!

**ERGONOMIC
SEATING CONCEPT**

NEW!

**IMPROVED
ELECTRONICS
UNIT**

IMPROVED FITTINGS

**WIDE TIRES
(OPTIONAL)**

NEW!

**The photo does not correspond to the standard delivery package.

2000-0SET Magnum Dolly System - NEW MODEL

NEW!

2000-0	1 x Magnum Dolly Column with new turnstyle
1000-300	1 x Magnum Leggero Base Dolly incl. Dolly Electronics
2003-0	2 x 24 V Battery
2058-0	1 x Dolly Seat Round
2008-0000	1 x Hand Control Unit
1200-250	1 x Combi-Wheels (Studio-/track wheels)
1040-0	1 x Hand control holder
1013-00	1 x Telescopic steering rod



1000-300
Leggero Base Dolly
incl. steering rod




2000-0
Magnum Dolly Column



1036-01 / 1036-4000
Multifunctional
Platform System
(4 pcs.) / (1 pc.)



1037-1000SET
Bigfoot Platform
extensions XL
(4 pcs.) / 1 (pc)



1037-0Set / 1037-0
Platform extension
(4 pcs.) / (1 pc.)



2118-100
Ring platform incl. cover



1210-0Set
Set of pneumatic
wheels (8 pcs.)



1216-10Set
Set of standard studio
wheels (8pcs.),
80 shore



1215-10Set
Set of soft Studio
wheels (8 pcs.), 40
shore



1212-100Set
Set of WIDE TIRES
(8 pcs.), 80 Shore



1212-0
Tool f. pneumatic
wheels



2006-01
Dolly Lifter
(for Quick Wheel
Change and Service)



2005-3100
Adapter for
assistant seatarm
(for Magnum turnstyle)



2005-3200
Offset/Central 4-Way
leveller
(for Magnum turnstyle)



2005-3300
Offset short with Euro
clamp
(for Magnum turnstyle)



2005-3500
Adapter for
System Low Rig
(for Magnum turnstyle)



2005-3500Set
System Low Rig Set
(for Magnum turnstyle)
complete incl. hard-case



2087-01 Set
System Low Rig Set incl.
hard case (for standard
Euromount)



2005-1007
Euro Adapter with
3 screws and thread
(for Magnum turnstyle)



2025-0Set
Set of carrying bars



1040-0/1040-400
Hand control holder
standard/telescopic



1040-500 / 1040-600
Hand control holder
short
standard/telescopic



1013-00
Telescopic steering
rod



1010-0 / 1012-0
Steering rod
standard / short



2084-0
Counterbalance rod



2087-15 + N200-1000
Adapter for
Counterbalance rod



1045-1100SET
Skater track wheels
for low platform
(straight tracks)
2 pcs



1045-0
Low Platform (without
track wheels)



1020-0
Leggero steer-out
extension



2099-0
Push Bar for Leggero
Dolly



1002-0
Base plate with Euro
Adapter



1003Set
Base plate with Euro
turnstile mount



M2005
Dolly Cover,
waterproof, membrane



M2180
parking Cover



2075
Case with special
Dolly Service Tools



2058-0
round seat



1028-0
Assistant seat and
platform mount



N100-6
Euromount 80/120
mm w. clamp bolt (for
platform)



N200-1000
Quick release
clamp bolt 28mm



2013-0
Swivel arm adapter f.
Hand control



1029-1
Multi Adapter
f. steering rod



2015-0
Battery tester



2020-0
Shorting bridge f. 24V
operation



2008-5000A
Hand control tester



2004-0SET
24V charging station



2003-0
24V Battery w. charge
level indicator



2019-0
Mains power Supply
Box for 230V operation
- on request -



2008-0000A
Magnum
wired hand control



1045-1200SET
Studio wheels for low
platform
2pcs



8410-0
Crane Column (3 pcs.)
(for connection to
1002-0 - not included)



2090-0
U-Bangi
with Euroclamp



2163
Transport case for 2
Batteries + Charger



2165
Transport case for
platform Set



2171
Transport case for
Ubangi



2161
Transport case for
Magnum/Alpha column



2160
Transport Case for
Magnum/Alpha Dolly



2169
Transport case for
Mini Jib Arm



2174
Transport case for 8pcs
Studio/pneumatic
wheels



2175
Transport case for
electronics & hand
control



2166
Transport case for
Dolly Accessories

Combine with



2100-0
* Mini Jib



2120-01
* Kirin DuoJib



2114-01
* MovieJib

ALPHA DOLLY

The Alpha Dolly is an electromechanical center column dolly, powered by standard camera battery packs. It's a lightweight, compact and flexible dolly system with a low starting position of the column (710mm/ 27.95 inch) and a new slender design.

It takes only three standard Li-Ion batteries (e.g. 14,4V/10-15A) to operate the dolly which results in quick and easy availability regarding the power supply.

The new seating position beside the column is equivalent to that of the familiar working method of the hydraulic scissor arm dollies.

Via seat arm adapters available in different lengths and a new telescopic seat arm, the seating position may be adjusted in height. Moreover, the camera operator may rotate with the column thanks to the integrated 360° rotation system.

Technical features:

- lift capacity: 100kg (220 lb)
- column height min/max: 71cm / 139cm
- weight: 133kg
- Number of lifts on full batteries > 300 lifts


**The photo does not correspond to the standard delivery package.

ALPHA DOLLY



2300-0SET Alpha Dolly System

2300	1 x Alpha Dolly Column
2300- 5000	1 x Alpha Base Dolly
1010-0	1 x Steering rod (standard)
2300-8200	1 x Alpha Dolly hand control
2058-0	1 x Seat round
2056-0	1 x Seat arm vertical 30cm/12"



2300-5000
Alpha Dolly Base



2300-0
Alpha Dolly Column
(without batteries)



1036-01 / 1036-4000
Multifunctional
Platform System
(4 pcs.) / (1 pc.)



1037-1000SET
Bigfoot Platform
extensions XL
(4pcs) / 1 (pc)



1037-0
Platform extension



1045-0
Low Platform (without
track wheels)



2090-0
U-Bangi
with Euroclamp



2114-01
* MovieJib



2100-0
* Mini Jib



8240-0
* Jib 100
(tripod not included)



2075
Case with special
Dolly Service Tools



2025-0Set
Set of carrying bars



1002-0
Base plate with Euro
Adapter



1003Set
Base plate with Euro
turnstile mount



2058-0
round seat



2300-8500
Telescopic Seat



1028-0
Assistant seat and
platform mount

* Please go to product page



2008-5000A
Hand control tester
with Alpha adapter



2300-8000
Alpha dolly wired hand
control



1013-00
Telescopic steering rod



1010-0 / 1012-0
Steering rod
standard / short



8410-0
Crane Column (3 pcs.)
(for connection to
1002-0 - not included)



1020-0
Leggero steer-out
extension



1040-0
Hand control holder



1040-400
Hand control holder
for telescopic steering
rod



1040-500
Hand control holder
short



1040-600
Hand control holder
short f. telescopic
steering rod



1029-1
Multi Adapter
f. steering rod



M2005
Dolly Cover,
waterproof



M2180
parking Cover



2084-0
Counterbalance rod



2087-15 + N200-1000
Adapter for
Counterbalance rod



2006-01
Dolly Lifter
(for Quick Wheel
Change and Service)



2087-01 Set
System Low Rig Set incl.
hard case (for standard
Euromount)



2080-0 Set
Low Rig set



2080-1100
Low and side angle
bracket, Mitchell



2080-1000
Low and side angle
bracket, bowl



2080-1200
Angle bracket 4-way
leveller, Mitchell



1212-100Set
Set of WIDE TIRES
(8 pcs.), 80 Shore



2099-0
Push Bar for Leggero
Dolly



2013-0
Swivel arm adapter f.
Hand control



1212-0
Tool f. pneumatic
wheels



1215-10Set
Set of soft Studio
wheels (8 pcs.), 40
shore



1216-10Set
Set of standard studio
wheels (8pcs.), 80
shore



1210-0Set
Set of pneumatic
wheels (8 pcs.)



2161
Transport case for
Magnum/Alpha column



2160
Transport Case for
Magnum/Alpha Dolly



2165
Transport case for
platform Set



2171
Transport case for
Ubangi



2174
Transport case for
8pcs Studio/pneumatic
wheels

4X4 DOLLY



2- and 4-wheel steering mode


The brand new MovieTech 4x4 Dolly features many innovations which are uncommon in its class. By simply lifting the push bar, the operator can switch from 2- to 4-wheel-steering. A stable stainless steel steering gear ensures a long life and reliable switch control.

Technical features:

- 2- and 4- wheel steering mode
- Size (L x W) standard platform: 137x76cm
- Size (L x W) additional platform: 137x109cm
- Weight w. standard platform: 43.6 kg
- Weight w. additional platform: 48.8 kg
- Max. payload: 300kg
- Track width: 62cm



QR Code
How to use my 4x4



2912-0

4 x 4 Dolly

- 1 x Base Dolly with Push bar (without pushbar extensions)
- 1 x Platform standard
- 1 x Set of pneumatic wheels
- 1 x Pushbar
- 1 x Dragbar with Quick-Shift-Function (4-wheel / 2-wheel)



2912-2100
Additional Platform for.
4x4 Dolly (1 pc.)



2912-3000 - 1pc
2912-3000Set - 2pcs
Extension for push bar



2912-0095
Adapter f. steering rod
w. 1/4" & 3/8" threads




2912-3300
shift handle



2912-1000
Turnstile



2912-6110
Steering angle fixation



2961-01SET
4x Dolly trackwheel
set (4pcs)



2950-500
Skater track wheels
incl. transport case



7531-0SET
Levelling legs set
(4 pcs.) + Hand crank



2912-0099Set
Tripod feet (3 pcs)



2912-0096Set
Adapter for telescopic
seat



2300-8500
Telescopic Seat



2058-0
round seat



8410-0
Crane Column (3 pcs.)
(for connection to
1002-0 - not included)



8410-0350
Adapter Jib-Jib



8410-2200
Euro Mount for
Crane Column



N100-6
Euromount 80/120mm
w. clamp bolt



N800-2
System low rig adapter
"big" f. SLRT 80mm)



N200-1000
Quick release
clamp bolt, 28mm



2140-0
Cranked Riser "M"
47,5 - 87 cm



2141-0
Cranked Riser "XL"
65,5 - 140 cm



2087-01 Set
System Low Rig Set
incl. hard case (for
standard Euromount)

Combine with



2100-0
*Mini Jib
(Jib only)



2114-01
*Movie Jib
(Jib only)



1301-02
*Gizmo Jib M
(Jib only)



Please go to the following pages for more accessories p. 38- p.42



4X4 DOLLY ON SET

U-BANGI

The MovieTech U-Bangi as a camera rig is designed to move the camera horizontally very smooth and silent.

Technical features:

- When using it with the rotatable adapter with brake (Item No. 2021-200), the U-Bangi permits rotation moves.
- By additionally mounting the system low rig (Item no. 2087-0SET) via the euro adapter clamp, variable camera heights can be achieved.
- By using the tripod adapter with euro mount clamp from the accessories range (Item no. 2095-1000) the range of use can be remarkably extended: it permits to directly mount the U-Bangi on a riser or tripods with ball adapters. The middle part of the U-Bangi then serves as a camera slider within a length of 870mm.

Dimensions:

Max. Length: 1150 mm (45.27 inch)



**The photo does not correspond to the standard delivery package.

2090-0

U-Bangi

- 1 x Main Segment
- 1 x Combi Adapter 80
- 1 x Counterweight Rod



2095-1000
Combi adapter 80 for
U-bangi



2095-2000
Offset adapter
standart



2031-3
Bowl Insert 150 mm



2032-1
Bowl Insert 100 mm



2041-10
Mitchell base plate



2041-30 SET
Euroclamp to
Standard mount



2087-25
Double Euro Mount




2021-200
Euro Adapter 360°
twistable Euro to Euro



2250-6200SET1
4 Way leveler
with standard mount



2112 / 2111 / 2110
Counterweight
5kg / 10kg / 16 kg



2171
Case for U-Bangi



2087-1/2/3
System low rig tube
300/400/765 mm

Combine with



2000-0SET
Magnum Dolly System

NEW!

EASY GO DOLLY

The Easy Go Dolly is the perfect companion on each set. When time is scarce, the Mini-Dolly is set up within a couple of seconds. It runs on tracks, standard scaffolding pipes (25mm-62mm) or on table tops.

Technical features:

- Machined out of high quality aluminum
- Hart-Coat surface - resistant to scratches and impacts
- track width: 310 mm
- Track lenght: extendable 90cm / 160cm / 230cm (tracks can be connected)



**The photo does not correspond to the standard delivery package.

8554-01

Easy Go Dolly

- 1 x Easy Go Dolly
- 4 x Skate-Wheel Set



2041-10
Mitchell Base Plate



2031-3
Bowl Insert 150 mm



2032-1
Bowl Insert 100 mm



2039-1
Bowl Insert 150mm to 100 mm



8532-1
Bowl Insert 100 mm to 75 mm



2066-1
Bowl Insert 150 mm to 75 mm



2041-30 SET
Euroclamp to universal mount



2041-40 SET
Euromount to universal mount



N100-6
Euromount 80/120 mm w. clamp bolt (for platform)



N200-1000
Quick release clamp bolt 28mm



2970-5000
Pushbar for MT Grip Kit



2205-9000
Rocker Plate on standard mount



8511-01 Set
ABC Light Track 6.40 m incl. soft-bag



8521-300
ABC Light Track Curve (1/16 circle)



2500-0/2501-0/2502-0
MovieTech Master Track Alu 0.90 / 1,60 / 2,30 m



2500-2Set
Scooter Dolly track kit 0,90m



2501-1Set
Scooter Dolly track kit 1,60m



2502-1Set
Scooter Dolly track kit 2,30m

magnetic
end-stop



SCOOTER DOLLY

The Scooter Dolly is a quick and easy to setup compact camera dolly for use on narrow gauge track. Thanks to the easily extendible track length, the Scooter Dolly is much more versatile than conventional slider systems.

Its exceptional smoothness and quiet operation as well as durability make it a unique product of its kind. The rails of the Scooter Dolly can be connected and therefore allow limitless travel.

Technical features:

- Dimensions (dolly): 33,6 x 30,2 cm
- Weight of the dolly: 4,5kg
- Track width: 220 mm
- Track length: 90cm / 160cm / 230cm (tracks can be connected)



2207-0A

Scooter Dolly



2207-0SET

- 1x Scooter Dolly (2207-0A)
- 2x Track connector
- 2x Ground plate
- 2x Low boy adapter 28mm for light stand
- 2x Magnetic track end stop
- 1x Protection case with foaming mold



2207-01SET

- 1x Scooter Dolly (2207-0A)
- 2x Multi Ground levelling plate
- 4x End piece, including bolts
- 1x Levelling legs "short" 4x
- 2x Connector to tripod or base plate
- 2x Magnetic track end stop
- 2x Low boy adapter 28mm for light stand
- 1x Case for Scooter Dolly with 1,2 m tracks
- 1x Set Mastertrack Profil 1,2m (2x)



2207-0A
Scooter Dolly
(Dolly only)



2207-90
Camera base plate /
euromount



2206-100
Push bar



N200-5001
Low boy adapter
28 mm for light stand



2205-900
Rocker Plate on
Standard Mount



2250-6200SET1
4 Way leveler with
Standard Mount




2031-3Set
Bowl insert 150 mm
incl. screws



2032-1Set
Bowl insert 100 mm
incl. screws



2041-10Set
Mitchell base plate
incl. screws



2041-30Set
Clamp ring 80 mm
incl. screws



2041-40Set
Euro Mount for
Scooter Dolly



2021-200
Euro Adapter 360°
twistable Euro to Euro



2207-50
Euromount
Track Connector



2207-20
Ground levelling plate



2207-10
Track end stop, 1pc
- old version -



2207-1100
Magnetic track end
stop (1pc)



M5847
Magic Arm with
3/8" screw



2970-1003Set
End piece, incl. bolts



2207-30
Connector to tripod or
base plate



2207-3500
Track Connector
(double)



2207-5500
Track Connector with
Mitchell base plate



2970-2300SET4
Levelling legs "short"
4 pcs



2207-2003
Multi Ground Levelling
Plate



2970-2860SET3 / SET4
Spikes, pointed screw
spike 3 or 4 pcs



2500-2Set
Scooter Dolly
track kit 0,90m



2501-1Set
Scooter Dolly
track kit 1,60m



2502-1Set
Scooter Dolly
track kit 2,30m



M5622
Rubber protection
cap for Master Track
(plastic)



2594-0 / 2595-0
Protection screw f.
male/female Master T.



2970-1300
MT Grip Kit
horizontal hinge



2207-8300
Soft bag for
Scooter Rails 0,90m



2207-8100
Soft bag for
Scooter Rails 1,60m



2207-8200
Soft bag for
Scooter Rails 2,30m



2207-8400
Hard case for
Scooter Dolly



2970-1200
MT Grip Kit end
piece with 360°
tube clamp



Counter plate for bowl
150mm
2207-2100 - 3/8"
2207-2110 - M10



Counter plate for bowl
100mm
2207-2120 - 3/8"
2207-2130 - M10



Counter plate for
Flatbase
2207-2140 - 3/8"
2207-2150 - M10




Counter screw for fluid
heads with internal
thread
2207-2160 - 3/8"
2207-2170 - M10

i: Extra flat and narrow
clamp plates to use between
the Scooter Dolly tracks.



SCOOTER DOLLY ON SET



MT GRIP KIT

The MovieTech GRIP KIT is a modular kit that offers you a wide range of assembling possibilities. It is the variable tool kit for your daily needs on set.

You can mount your GRIP KIT with three or four legs, as a levelling star base, on studio wheels, with a platform or without, on tracks – whatever fits your needs.

A wide range of accessories such as levelling legs, seat arms and risers offer many functional features for all professional requirements.

MT GRIP KIT - Pro Set

NEW!



- the ideal tool-kit for every scenario

2970-10SET

1x Base Plate
4x Arm standard track
4x End piece, incl. bolts
4x Arm narrow track width
2x Connecting piece
1x End piece 360° clamp
1x Euro mount

1x horizontal hinge
1x levelling leg "long"
4x levelling legs "short"
3x spikes, pointed screw
Price
4x studio wheels

MT GRIP KIT - Tree Head

NEW!



- ideal to quicke set up a stable base wherever you need to
- universal mount for Ball adapters, Mitchell, Euro
- with 360° twistable tube clamps for scaffolding tubes

2970-1020SET

1x Base plate for several adapter (mitchell/ ball)
3x end piece with 360° tube clamp

More Grlp Kit Sets

2970-01SET

Basic Three Leg Set

1 x Base plate
3 x Arm Normal Track
3 x Endpiece
3 x levelling legs M16 short
1 x Euro Mount hardcoated

2970-02SET

Basic Track Wheel Set (track gauge 62cm)

1 x Base plate
4 x Arm Normal Track
4 x Endpiece
1 x Euro Mount hardcoated
1 x Pushbar
4 x Skateboard wheels

2970-04ASET

Basic Dolly Kit (track gauge 62cm)

1 x Base
4 x Arm Normal Track
4 x Endpiece
1 x Pushbar
4 x Skateboard wheels
3 x levelling legs M16 short
1 x Euro Mount hardcoated
1 x Platform Set (4 pcs.)
1 x Hard case or soft bag

2970-05ASET

Advanced Dolly Kit (track gauge 62cm)

1 x Base
4 x Arm Normal Track
4 x Endpiece
1 x Pushbar
4 x Skateboard wheels
3 x levelling legs M16 short
1 x Euro Mount hardcoated
1 x Platform Set (4 pcs.)
1 x Seat arm
1 x Seat
1 x Riser adjustable, broadcast
1 x Ball Adapter light 100 mm, broadcast
1 x Seat arm arm adapter
1 x Hard case or soft bag





2970-1001/N100-1
Base plate incl.
Euromount



2970-1006
Base plate for Mitchell
Mount




2970-1009Set
Base plate for several
adapter (mitchell/ ball)



2205-900
Rocker Plate on
standard mount



2250-6200SET1
4 Way leveller with
standard mount



2970-700/2970-700 Set4
Platform for MT Grip Kit 1 pc
or Set of 4pcs




2053-0/2058-0
Seat Arm 30cm and
Seat



2912-1000
Turnstile (mountable on
standard base plate)



2970-5000
Pushbar for MT Grip Kit



2970-1012
Strap
connector



2912-0099Set
Tripod rests (3 pcs.)



N100-6
Euromount 80/120 w.
clamp bolt



2970-1002Set
Arm standard track
width, 1 pcs. incl. screws



2970-1004Set
Arm narrow track width,
1 pcs. incl. screws



2970-1005Set
Connecting piece f. arm
extension, incl. screws



2970-1003Set
End piece, incl. bolts



2970-4000SET3 / SET4
Studio wheels 3/4pcs



2970-3000SET4
Skater track wheels
4 pcs



2970-2300SET3 / SET4
Levelling legs "short"
3 or 4 pcs



2970-2200SET3 / SET4
Levelling Legs "long"
3 or 4 pcs



2970-2860SET3 / SET4
Spikes, pointed screw
spike 3 or 4 pcs



M1066
Hand crank for
levelling legs 1pc



M3397
Hard-case for
MT Grip Kit



2970-1007Set
Adapter for Sytsem Low
Rig Tube with 3 screws



8511-01 Set
ABC Light Track 6.40 m
incl. soft-bag



8521-300
ABC Light Track Curve
(1/16 circle)



2500-0/2501-0/2502-0
MovieTech Master Track
Alu 0.90 / 1,60 / 2,30 m



2540-0
Master Track/curve
1/8 circle



NEW!

Multifunctional end piece with 360°
rotatable pipe clamp (45° each).
For connection to tubes with a
diameter of 42-52mm.
-vertical and horizontal-

2970-1200
MT Grip Kit end piece
with 360° tube clamp



NEW!

to give you a stable stand
even in the tightest corner.

2970-1300
MT Grip Kit
horizontal hinge

NEW!

GIZMO JIB

We are enhancing our Jib family with brand new GIZMO jib - an embodiment of versatility, reliability, and stability in one finely crafted package.

Whether you're setting up for a close-up or framing a wide shot, the jib's adjustable length, which can extend from a basic 1 meter to an expansive 3.5 meters with just two additional segments, has you covered. Further enhancing its versatility, the front of the jib boasts a remarkable 40 cm of extensible movement, segmented into 9 precisely defined points with 5 cm gaps. This allows you to control and adjust the jib with unmatched precision, providing the exact camera angle you desire.


Even more impressively, the rear part of our jib can be freely extended up to 33 cm, not confined to predefined points. This unique feature allows you to fine-tune the jib's balance according to the front length, ensuring the perfect balance for every shot. Experience the power of precision with our new jib, and make every frame count!

**HART-COAT®
surface !**


Gizmo Jib



Gizmo Jib - Version S



- payload: 80 kg
- self-weight: 23 kg




1301-01 Gizmo Jib Small

- 1 x Main Segment with crankable rear piece
- 1 x Euro-mount head piece
- 1 x Counterweight holder extension



GIZMO JIB ON SET

Gizmo Jib - Version M




- payload: 80 kg
- self-weight: 30 kg

1301-02 Gizmo Jib Medium

1 x Main Segment with crankable rear piece
1 x Euro-mount head piece
1 x Extendable front segment

1 x Counterweight holder extension

Gizmo Jib - Version L




- payload: 50 kg
- self-weight: 40 kg


1301-03 Gizmo Jib Large

1 x Main Segment with crankable rear piece
1 x Euro-mount head piece
1 x Extendable front segment

1 x Extension segment 0,5 m
1 x Extension segment 0,25m
1 x Counterweight holder extension



1301-2100SET
Extension Set 0,25m



1301-2200SET
Extension Set 0,5m



2199
Transport case for Gizmo Jib



8315-30
Display Support



2201-0
Universal safety plate for ball adapter (M12)



2087-25
Double Euro Mount



2021-100
Euro Adapter 360°
twistable Double-Euro



2026-0
Adapter from Mitchell to
Euromount w. long and
short bolt



2112 / 2111 / 2110
Counterweight
5 kg / 10 kg / 16 kg



M2146/M2139/M2138
Counterweight
1,25kg/ 2,5kg/5kg



2087-1/2/3
System low rig tube
300/400/765 mm



2034-0
Offset Bowl Adapter
150 mm medium
(250mm)

MOVIE JIB



The MovieJib – is lightweight and incredibly flexible. Using the MovieJib you will achieve “floating” shots while panning. The jib may be mounted via an M12 threaded bolt. An adjustable euro mount enables to mount ball adapters or a lightweight remote head.

Technical features:

- Minimum length:	165 cm / 5,5 “
- Maximum length:	215 cm / 7,1”
- Max. height with tripod (127 cm):	280 cm / 9,2”
- Max. load min. extended:	40 kg / 88 lb
- Max. load max. extended:	30 kg / 66 lb
- Max payload:	72 kg / 158,4 lb
- selfweight (jib)	41 kg / 90,2 lb

**The photo does not correspond to the standard delivery package.

2114-0SET

MovieJIB

- 1 x MovieJib (telescopic jib arm)
- 1 x Parallelogram rod with trim weight
- 1 x Bullstand 120 - Jib Tripod
- 1 x Counterweight rod / length 725 mm / diameter 30 mm
- 1 x Softbag

2114-01

MovieJIB (without tripod)



2041-10
Mitchell base plate
standard mount



2031-3
Bowl Insert 150 mm
standard mount



2032-1
Bowl Insert 100 mm
standard mount



2041-30 SET
Adapter Euroclamp
standard mount



2041-40 SET
Euro mount to
standard mount



8315-30
Display Support



2112 / 2111 / 2110
Counterweight
5kg / 10kg / 16 kg




2114-3000
MovieJib Head with
Mitchell mount



2114-3100
MovieJib Head with
Euroclamp



8410-3200
Euro clamp for Movie Jib,
Jib 100, Crane120



2114-1000
Adapter to Bowl 150mm



2114-1100
Adapter to flatbase



M 2146 / M2139 / M2138
Counterweight
1,25kg / 2,5kg / 5kg



832180
Softcase MovieJib



2192
Case for Movie Jib
- not discountable



7510-0Set
Standard Base Dolly
CD5 Pneumatic Wheels



7530-0Set
Wide Base Dolly CD6
XL pneumatic wheels



8321-03
Bullstand tripod

MINI JIB



The MovieTech Mini Jib arm is very versatile and robust, enabling smooth camera shoots for all kinds of camera sizes. The weight balancing is smoothly accomplished via a telescopically cranked back end. The length of the front arm is 83 cm/ 33 inch (from the pivot to the head).

The Jib arm is equipped with a horizontal and vertical handbrake.

The horizontal pan radius is 360°. Optional attachments and

adapters allow further height, extension and side positions available.

Technical features:

- length front arm:	83 cm / 2,9 "
- Maximum height on Magnum Dolly	235 cm / 7,9"
- Max payload:	80 kg / 176 lb
- max counterweight:	4 x 16
- selfweight (jib)	23 kg / 50,6 lb

**The photo does not correspond to the standard delivery package.

2100-0

Mini Jib

- 1 x Crane support with integrated brake
- 1 x Main segment
- 1 x Back end segment (telescopic) with hand crank
- 1 x Parallelogram rod with integrated vertical brake
- 1 x Euro mount at the jib end (may be installed up - or downwards)
- 1 x Counterweight rod
- 2 x handles



2117-0
System low rig adapter
f. MiniJib



2103-0
Low rig adapter f. MiniJib



2101-0
Off-Set rig for MiniJib



2104-0
Mini low rig



2105-0
Adapter Mini low rig "S"



2116-0
Adapter Mini low rig "M"



2112 / 2111 / 2110
Counterweight
5kg / 10kg / 16 kg



2115-0
Adapter Mini low rig "L"



2102-0
Euro Adapter Mount f.
MiniJib



2106-0
MiniJib connector rod to
Magnum column



2169
Transport case for
MiniJib



2201-0
Universal safety plate for
ball adapter (M12)

NEW!

DuoJib



KIRIN DUO JIB FOR MAGNUM

The DuoJib is specially designed to be operated on a MAGNUM Dolly. It allows for smooth and steady movements thanks to the gliding 360° rotation of the Magnum and the precise mechanics of the column. The Duo Jib is very quickly and easily assembled and dismantled. Mounted on a Magnum Dolly, the Jib will automatically lift and lower by activating the column movement.


Technical features:

- Max payload standard mode: 250 kg
- Max. payload high rig mode: 200 kg
- Max. payload low rig mode: 200 kg
- Max. platform height (euro adapter): 272 cm (standard version)




QR Code
How to set up my Kirin
Duo Jib

Kirin Duo Jib - Standard length



Kirin Duo Jib - Extended



2120-01

- 1 x Platform incl. turnstile
- 1 x High and Low head
- 1 x Jib counter weight holder incl. rods
- 1 x Main Segment
- 1 x Duo Jib Adapter for Magnum turnstyle
- 1 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m
- 1 x Bracing rod 1m
- 1 x Bracing rod 0,5m
- 2 x Rocker end piece
- 1 x Mounting bracket for connection rod
- 1 x Connection rod

2120-03 DuoJib for Euromount

2120-02

- 1 x Platform incl. turnstile
- 1 x High and Low head
- 1 x Jib counter weight holder incl. rods
- 1 x Crane Main Segment
- 1 x Duo Jib Adapter for Magnum turnstyle
- 1 x Kirin Segment 1m
- 2 x Kirin Segment 0,5m
- 1 x Bracing rod 1m
- 1 x Bracing rod 0,5m
- 2 x Rocker end piece

Please note:
This version may not be operated with the connection rod.

2120-03 DuoJib extended for Euromount



2112 / 2111 / 2110
Counterweight
5 kg / 10 kg / 16 kg



2056-00
Seat Arm
vertical 30 cm



7740-0
Cushioned Seat
with seat belt



2167
Transport case for
Kirin DuoJib complete



4710-2100
Mounting bracket for
connection rod
Kirin Duo-Jib



4710-8000
Connection rod
for Kirin Duo Jib

JIB 100



The Jib arm is a very versatile and easily transportable piece of equipment that can be used for all kinds of camera types.

The Jib 100 can be reduced to very small packing dimensions and assembled within minutes which makes it the perfect equipment for use on the go.

Technical features

- Selfweight:	19 kg
- Boom length:	162 cm
- Total Jib length:	240 cm
- Max. camera payload:	20 kg
- Max. counterweight	40 kg

**The photo does not correspond to the standard delivery package.

8240-0

Jib100

- 1 x Jib with crane support and euromount clamp
- 1 x Counterweight bar (30 mm outside diameter) with Quickpin-handles
- 1 x Soft bag



2041-10
Mitchell Base Plate
standard mount



2031-3
Bowl Insert 150 mm
standard mount




2032-1
Bowl Insert 100 mm
standard mount



2041-30 SET
Euroclamp to
standard mount



2041-40 SET
Euromount to
standard mount



4700-9600
Scaffolding tube 48,2mm
with Flatbase (Mitchell)
and Standard mount



8321-01
Tripod 132 X
modified w. leveling legs




8315-30
Display Support



2192
Transport Case for Movie
Jib / Jib 100



8410-3200
Euro clamp for Movie Jib,
Jib 100, Crane120



2114-1000
Adapter to Bowl 150mm



2114-1100
Adapter to flatbase



2112
Counterweight 5 kg



2111
Counterweight 10 kg



2110
Counterweight 16 kg



M2146
Counterweight 1,25 kg



M2139
Counterweight 2,5 kg



M2138
Counterweight 5 kg

NEW!

KIRIN CRANE SYSTEM

Starting from 5m Jib up to 14m the Kirin Crane is an ultra versatile camera crane system, offering a variety of set-up versions for Remotehead-, Platform-, or Jib-operation.

STRONG. ROBUST. SAFE.

These features make the Kirin Crane the perfect tool on the set, both with Remote Head and with a manned platform!

Due to its modular concept from the jib to the platform crane to the outstanding camera crane with 14m range, it is extremely versatile!


The feedback, ideas and wishes of many users all over the world have been implemented with this new crane concept. The crane can be assembled in the shortest possible time thanks to the modular lightweight construction and the new locking mechanism.

The patented Hart-Coat® surface treatment effectively protects the crane from scratches and other external influences. Backlash-free connecting plates and additional struts increase the stability of the crane system. In developing this new crane concept, safety and user-friendliness have always been paramount.

**HART-COAT®
surface !**




- incl. 4 way leveller



KIRIN REMOTE VERSIONS

Remote Version - 14m - R14




4700-05

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additional counter weight basket
- 9 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 43 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 6 x Telescopic bracing rod (flute)
- 10 x Bracing End piece
- 10 x Turnbuckle for bracing
- 1 x Bracing bracket
- 3 x Bracing support

Remote Version - 12m - R12

- payload: 60 kg
- self-weight: 300 kg
- counter-weight: 804 kg




4700-04

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additional counter weight basket
- 8 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 2 x Rocker end piece
- 1 x Bracing tower tall
- 28 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Remote Version - 10m - R10

- standard for most applications
- 2 x bracing elements
- payload: 70 kg
- self-weight: 275 kg
- counter-weight: 656 kg




4700-03

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additional counter weight basket
- 7 x Kirin Segment 1,5m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall
- 23 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Remote Version - 8m - R8

- payload: 80 kg
- self-weight: 255 kg
- counter-weight: 528 kg



4700-02

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 9 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall
- 17 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support



NEW!

KIRIN CRANE

The KIRIN CRANE SYSTEM is the result of countless feedback from our customers all over the world. But even though we have been working with greatest care and attention to detail in the development of this new camera crane, there is absolutely nothing like the real stress test in its “natural habitat” – the film set.

In order to improve even the very last details, the KIRIN was used in several productions. Always with the aim of developing a user-friendly, versatile, robust and reliable camera crane that users will love.


Its versatility is probably the biggest strength of the KIRIN Crane. It can be set up in various platform versions, too.

**HART-COAT®
surface !**



KIRIN PLATFORM VERSIONS

Platform Version - 6,5 m - P6,5




4700-09

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additional counter weight basket
- 5 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 15 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 4 x Telescopic bracing rod (flute)
- 10 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Platform Version - 5 m - P5




- only 1 basket needed
- payload: 180 kg
- self-weight: 195 kg
- counter-weight: 528 kg

4700-08

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 4 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 12 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing support
- 1 x Bracing bracket

Platform Version - 3,5 m - P3,5




- payload: 250 kg
- self-weight: 180 kg
- counter-weight: 460 kg

4700-07

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 3 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 7 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket

Platform Version - 2 m - P2



- no tower / bracing needed
- payload: 250 kg
- self-weight: 125 kg
- counter-weight: 228 kg

4700-06

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 2 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 2 x Bracing rod 1,5m

KIRIN JIB VERSIONS



**HART-COAT®
surface !**

The KIRIN CRANE is probably the most versatile crane system in its segment.


In combination with

- a special jib-head
- counterweight bars (instead of a bucket)
- a smaller tower

it can also operate as Jib-arm with up to 80kg payload.

Different handle options ensure ergonomic and precise operation of the KIRIN JIB.

Jib Version - 5 m - J5




- small tower !
- special jib head
- payload: 80 kg
- self-weight: 145 kg
- counter-weight: 384 kg

4700-12

- 1 x Jib Head with exchangeable Bowl insert 150mm
- 1 x Crane Main Segment
- 1 x Jib counter weight holder
- 1 x Bracing tower small
- 4 x Kirin Segment 1m
- 3 x Kirin Segment 0,5m

- 2 x Rocker end piece
- 10 x Bracing rod 1m
- 9 x Bracing rod 0,5m
- 2 x Telescopic bracing rod (flute)
- 4 x Bracing End piece
- 4 x Turnbuckle for bracing
- 1 x Bracing support

Jib Version - 4 m - J4



- small tower !
- special jib head
- payload: 40 kg
- self-weight: 112 kg
- counter-weight: 180 kg


4700-13

- 1 x Jib Head with exchangeable Bowl insert 150mm
- 1 x Crane Main Segment
- 1 x Jib counter weight holder
- 1 x Bracing tower small
- 4 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m

- 2 x Rocker end piece
- 4 x Bracing rod 1m
- 1 x Bracing rod 0,5m

NEW!

Jib Version - 3 m - J3



- no bracing
- special jib head
- payload: 80 kg
- self-weight: 100 kg
- counter-weight: 300 kg

4700-11

- 1 x Jib Head with exchangeable Bowl insert 150mm
- 1 x Crane Main Segment
- 1 x Jib counter weight holder
- 2 x Kirin Segment 1m
- 2 x Kirin Segment 0,5m

- 2 x Rocker end piece
- 2 x Bracing rod 1m
- 2 x Bracing rod 0,5m

ACCESSORIES




4700-5000 Set
Extension Set 0,5m




4700-3000 Set
Extension Set 1m



4700-4000 Set
Extension Set 1,5m



4700-1960 Set
Bracing Tower, small
jib



4700-1900 Set
Bracing Tower, tall
- remote & platform -



4700-2850
Tare weight



4700-2500
Counterweight basket
big



4700-2600
Counterweight basket
small



7704-0 / 7708-0 / 7716-0
Counterweight
4 kg / 8 kg / 16 kg



4700-2700
Counter weight holder
+ tubes




2112 / 2111 / 2110
Counterweight
5 kg / 10 kg / 16 kg



7703-0 / 7707-0 / 7715-0
Counterweight
4 kg / 8kg / 16kg



4700-9100
Crane head w 4way leveller
and twist function



4700-9800
Nose Mount



4700-9700
Jib Head Kirin



4700-9500
Platform with turnstile



4700-9600
Scaffolding tube 48,2mm
with Flatbase (Mitchell)
and Standard mount



4405-0
Transportsystem
"onboard" (max 8m)



4409-0
external transport
System for Kirin 14m



7705-1800
Trolley for weight carrier
with studio wheels
(pneumatic on request)



7705-3000
Weight carrier for
up to 12 x 16kg weights
easy access




7740-0
Cushioned crane seat
with safety belt




8315-30
Display Support
(8315-2000 - long version)



4700-7500
Handle Kirin Long



4700-7300
Vari Handle Kirin



4407-0SET
Track wheels heavy duty
for Kirin 4 wheels (4pcs)



4404-0SET
Track wheels Kirin 2
wheels (4pcs)



2025-0SET
Set of carrying bars



8315-780
Crane support for
lightstand

KIRIN CRANE DOLLIES



**HART-COAT®
surface !**

4705-01Set Kirin Crane Base Dolly


Features:

- 4- wheel steering
- hard-rubber wheels
- Incl. leveling legs and crank
- incl. pushbar and steering rod
- column and column extension
- 100cm and 62cm track width

-> for all Kirin Versions



4407-0Set
Heavy Duty Track wheels
4-fold for Kirin
(4pcs/Set)



4x

4404-0Set
Track wheels 2-fold for
Kirin
(4pcs/Set)



2025-0Set
Set of carrying bars
(4pcs)

NEW!

4705-01 Set
Kirin Crane Base Dolly
with column, levelling legs and pushbar



7540-01Set / 7540-02Set
CD 8 Dolly Wide Base with column
XL pneumatic / studio wheels

CD 8 Jib Base Dolly with big pneumatic / studio wheel

Features:

- wide base for increased safety
- 4- wheel steering
- big pneumatic or studio wheels
- steering rod
- 62cm track width
- column (3pcs)

**i: black colour on request
i: wide and thus more stable stand +
more ground clearance to drive on track**



4x

7532-0Set
Track wheel set for
Dolly CD6



7520-1000Set
Levelling legs for Dolly
CD8



1000-300
Leggero Base Dolly
incl. steering rod

1000-300 Leggero Base Dolly

Features:

- integrated rotary bearing allows 360 ° rotation
- adjustable to two different track widths
- 62cm track width or 36cm "narrow gauge"
- special surface treatment,
- steering rod for variable positioning,
- 3 individual steering settings for each wheel

-> for Jib Versions only



1002-0
Base plate with Euro
Adapter



8410-0
Crane Column (3 pcs.)
(for connection to 1002-0)

Crane Segment Accessories



4705-7100
Mitchell for crane main
segment incl. key



4705-7200
Euro clamp for crane
main segment

Dolly Column Accessories



8410-3100
Mitchell Mount on
Crane Column



8410-2200
Euro Mount on
Crane Column



8410-0350
Adapter for Jimmy-Jib on
crane column



THE NEW KIRIN CRANE IN ACTION

CRANE 120

Crane 120



The crane 120 is a very robust and versatile light crane ideal for sports, documentaries as well as in studio and cinema applications. Safety is guaranteed by the double cable bracing of the towers.

Non-reflecting powder coating of the crane segments ensures a resistant and therefore long-lasting surface finish.

Short assembly times, compact transport dimensions and excellent rigidity values.

**The photo does not correspond to the standard delivery package.

8315-0 Crane 120 Version 9m (new: double tower bracing)

1x	Crane-head segment Euroclamp (or mitchell on request)	2x	Extension segment
1x	End segment	3x	Weight tube d=30 x 800mm
1x	Extension segment with outrigger	1x	parallelogram with trim weight
1x	Main segment	3x	Transport soft bag (2x main bag, 1x accessories)

Features:

- payload 25 kg
- lift 7,89m
- front arm: 7,87m
- self-weight: 83 kg
- operation with tripod or base dolly

8315-02 Crane 120 Version 12m (new: double tower bracing)

1x	Crane-head segment Euroclamp (or mitchell on request)	3x	Weight tube d=30 x 800mm
1x	End segment	1x	Main segment
2x	Extension segment with outrigger	1x	parallelogram with trim weight
3x	Extension segment	4x	Transport soft bag (3x main bag, 1x accessories)

Features:

- payload: 20 kg
- lift: 10,3m
- front arm: 10,87m
- self-weight: 116 kg
- operation base dolly

Note: Operation only in combination with CD6 Base Dolly (or similar)



8315-30
Display Support



7703-0/7707-0/7715-0
Counterweight
4 kg / 8 kg / 16 kg



7705-1800
Trolley for weight carrier
with studio wheels
(pneumatic on request)



7705-3000
Weight carrier for
up to 12 x 16kg weights
easy access




8423-03
Adapter for DJI Ronin2
to Mitchell



8423-02
Adapter for DJI Ronin
pro 2 to Euro



8410-3200
Euro clamp for Movie Jib,
Jib 100, Crane120



2114-1000
Adapter to Bowl 150mm



4705-7100
Mitchell for crane main
segment incl. key



8315-651
Mitchell mount for
crane head

CRANE 120 BASE DOLLIES AND TRIPODS




7510-0Set / 7510-01Set
Standard Base Dolly CD5
pneumatic/studio wheels

CD 5 Base Dolly with pneumatic / studio wheels

Features:


- 2- wheel steering
- pneumatic or studio wheels
- steering rod
- 62cm track width
- column (3pcs)

i: fits through standard doors



4x

7511-0
Track wheel set for Dolly Levelling legs for Dolly CD5



7520-0Set
Levelling legs for Dolly CD5



8410-3100
Mitchell Mount on Crane Column



8410-2200
Euro Mount on Crane Column



8410-0350
Adapter for Jimmy-Jib on crane column



7540-01Set / 7540-02Set
CD 8 Dolly Wide Base with column
XL pneumatic / studio wheels

CD 8 Jib Base Dolly with big pneumatic / studio wheel

Features:

- wide base for increased safety
- 4- wheel steering
- big pneumatic or studio wheels
- steering rod
- 62cm track width
- column (3pcs)

i: black colour on request

i: wide and thus more stable stand + more ground clearance to drive on track



4x

7532-0Set
Track wheel set for Dolly CD8



7520-1000Set
Levelling legs for Dolly CD8



8410-3100
Mitchell Mount on Crane Column



8410-2200
Euro Mount on Crane Column



8410-0350
Adapter for Jimmy-Jib on crane column



8321-03
Bullstand tripod
heavy duty tripod with integrated levelling

Bull Stand Tripod

Features:

- increased payload (max. 250 kg in standard mode)



8321-2700
Spikeplate for Bullstand
(1 pcs.)



832150
Transport soft bag
Crane 120/100



822151
Transport soft bag
Accessories



842210
Hardcase for Crane 120
(Softbag fits inside)



8315-780
Crane support for
lightstand

*for 9m Crane version - 2x pieces
*for 12m Crane version - 3x pieces



All sets include a Hardcase (8472-8700)

REMOTE HEAD P10

Remote Head P10 – powerful and silent – perfect for filming in studios. Available in a two axis version. For cameras up to 25 kg.

- high speed and a silent drive
- backlash free drive thanks to harmonic drive gears
- easy handling and operating
- axis may be variably positioned in the frame to achieve a high degree of stiffness (size of the remote head can be perfectly adjusted to the size of the camera)
- mount on a large range of cranes or jib arms thanks to the Mitchell mount system
- zoom and focus control for all common broadcast optics with integrated motor units

8472-0 Remote Head P10 with control panel, 2 operator (prepared for single operator control)

1x Remote Head P10	1x Transport case
1x Control Panel	3x Weight tube
1x Control cable 15m	1x V-Mount adapter for 24V
1x Connection cable Pan/Tilt	



8472-02 Remote Head P10 with single operator control (single operator)

1x Remote Head P10	1x Transport case
1x Handle Zoom Focus	3x Weight tube
1x Handle Joystick	1x V-Mount adapter for 24V
1x Single Operator Control Panel	



8472-03 Remote Head P10 with control panel + single operator kit -with control panel prepared for single operator function incl. single operator

1x Remote Head P10	1x Transport case
1x Control Panel prepared	3x Weight tube
1x Handle Joystick	1x V-Mount adapter for 24V
1x Handle Zoom Focus	



8472-01
P10 Roll Axis



841210-0
Set of Cables Canon SD



841215-0
Set of Cables Angenieux



841212-0 / 841213-0
Cables Canon HD / HD-S



841220-0
Set of Cables Fujin SD/HD



8418-1000
DC/DC converter



8412-500
Power Supply P10



8414-100
Panel support for Crane 120



8314-970
Panel support for Crane 100



8414-01
Single operator control Handles



8430-1000
Control box, small for Remote Heads

PELÉ XL 35 DIGITAL



Hard-wearing system. Known from the football World Cup and European Championships. For cameras up to 30 kg.

- Programmable motors
- Zoom and focus control via control panel
- Rec. On / Off via control panel

8418-01 Remote Head Pelé dig. with control panel (2 operator) (prepared for single operator control)

- incl. Remote Head, Control Panel, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V



8418-02 Remote Head Pelé dig. with single operator control (single operator)

- incl. Remote Head, Single Control Panel, Handle Joystick,
Handle Zoom Focus, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V



8418-03 Remote Head Pelé dig. with control panel (2 operator)

- incl. Remote Head, Control Panel prepared, Handle Joystick,
Handle Zoom Focus, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V



ALEX DIGITAL




Hard-wearing system. Known from the football World Cup and European Championships. For cameras up to 15 kg.

- Programmable motors
- Zoom and focus control via control panel
- Rec. On / Off via control panel
- Ideal for Crane 100/120

8416-02 Remote Head Alex dig. with control panel (2 operator) (prepared for single operator control)

- incl. Remote Head, Control Panel, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V



8416-03 Remote Head Alex dig. with single operator control (single operator)

- incl. Remote Head, Single Control Panel, Handle Joystick,
Handle Zoom Focus, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V




8416-04 Remote Head Alex dig. with control panel (2 operator)

- incl. Remote Head, Control Panel prepared, Handle Joystick,
Handle Zoom Focus, control cable 15m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V



QR Code
How to program Remote Heads



MASTER TRACK

FOLDABLE TRACKS

CODE	DESCRIPTION
2500-0	Foldable track 62cm / 24,5", straight 0,9m / 3ft
2501-0	Foldable track 62cm / 24,5", straight 1,6m / 5ft
2502-0	Foldable track 62cm / 24,5", straight 2,3m / 7,5ft
2580-0	Foldable track 1m / 39", straight 0,9m / 3ft
2581-0	Foldable track 1m / 39", straight 1,6m / 5ft
2582-0	Foldable track 1m / 39", straight 2,3m / 7,5ft
2540-0	Curve 45° (1/8 circle)

ACCESSORIES



2665-0
Track end stop 1. pcs.
Movie / Master Track



2560-0
Drive Ramps
24.5" / 62 cm



2561-0
Drive Ramps
39" / 100 cm



2604-0
Adapter set Master
Track on Movie Track



M5949
Tiebrace for tracks



M5622
Protection cap for Mas-
ter Track



2592-0
Narrow gauge adapter
24.5" to 14.2"



2593-0
Narrow gauge adapter
39" to 24.5"



2594-0
Protection cap for end
section, male



2595-0
Protection cap for end
section, female




MOVIE TRACK



FIXED TRACKS

CODE	DESCRIPTION
2600-0	Fixed track 24,5", straight 3ft
2601-0	Fixed track 24,5", straight 5ft
2602-0	Fixed track 24,5", straight 7,5ft

PRICES AND AVAILABILITY ON REQUEST



MASTER TRACK & MOVIE TRACK ON SET

LEVELLER SYSTEMS

4 Way Leveller



4 Way Leveller System

Perfect levelling in every situation !

- Versatile system with optional connection plates can be exchanged via bayonet system and covers every field of application!
- The base is a gimbal which can be equipped with various top and bottom plates (Euro and Mitchell-mount)!
- Changing the plates only takes a few seconds.

INDIVIDUAL ADAPTER PLATES

Top plates:

Mitchell top plate
2250-3500

Euro-mount top plate
2250-2200



Center piece:

Universal joint with
bayonet lock mechanism
2250-1000



Magnetic spacer-
pieces for Euro to
Mitchell 2250-1300

Base plates:



Euro base plate
2250-2100



Mitchell base plate M24
2250-3300



Mitchell base plate 1"-14
2250-3400



Mitchell base plate w.
cable slot 2250-3600



2250-3500
Mitchell Top Plate



2250-2200
TP: Euro Mount



2050-1000
MT tool for Mitchell
screw



2250-1300SET
Magnetic spacer set for
Euro to Mitchell 4WL



2250-1000
Central joint




2250-2100
BP: Euro Mount



2250-3300
BP: Mitchell M24



2250-3400
BP: Mitchell 1"-14
UNS-2B



2250-3600
Mitchell base plate with
cable slot

MITCHELL 4-WAY-LEVELLER SETS



2250-100SET
4 Way Leveller complete
Set



2250-11SET
TP: Mitchell
BP: Euro Adapter



2250-12SET
TP: Mitchell Mount
BP: Mitchell M24




2250-13SET
TP: Mitchell Mount
BP: Mitchell 1"-14



2250-14SET
TP: Mitchell Mount
BP: Mitchell w. cable slot

OFF-SET 4 WAY LEVELLER



2250-24SET
Off-set leveller (short)
TP: Mitchell BP: Mitchell



2250-26SET
Off-set Leveller (short)
TP: Mitchel BP: Euro



2250-25SET
Off-set Leveller (long)
TP: Mitchell BP: Euro



2250-6200SET1
4 Way leveler
with standard mount

NEW!

i: STANDARD MOUNT

This standardized hole pattern allows for an almost limitless combination of MovieTech accessories. All accessories with the "Standard Mount" fit on the widely used hole pattern as known from the "ball adapters", via 4 screws.



2250-6200SET2
Offset 4-Way-Leveller
short (184mm)



2250-6200SET3
Offset 4-Way-Leveller
medium (250mm)



2250-6200SET4
Offset 4-Way-Leveller
long (350mm)



2250-6200SET5
Offset 4-Way-Leveller
XL (550mm)

3 WAY LEVELLER

3 Way Levellers



2202-0
3 Way Leveller
Euro to Mitchell



2202-01
3 Way Leveller
Mitchell to Mitchell

XL 3 Way Levellers



2203-1
3 Way Leveller XL
Mitchell to Mitchell



2203-2
3 Way Leveller XL
Euro to Mitchell



2026-0
Adapter from Mitchell to
Euromount w. long and
short bolt

200 kg payload

750 kg payload

GENERAL ACCESSORIES

Euromount Risers



2130-0
Riser
Euro 10 cm/ 4"



2131-0
Riser
Euro 20 cm/ 8"



2132-0
Riser
Euro 30 cm



2133-0
Riser
Euro 40 cm



2134-0
Riser
Euro 50 cm



2134-1000SET
Riser Set incl.
Hardcase

V. Riser Broadcast



8530-0
Clamp Riser Adjustable
48-88 cm

Variable Riser w. Gas Spring



2135-0
Gas Riser Adjustable
39-73cm



2135-01
Gas Riser Adjustable
55-115 cm

Cranked Risers



2140-0
Cranked Riser "M"
47,5 - 87 cm



2141-0
Cranked Riser "XL"
65,5 - 140 cm

payload 20 kg

payload 40 kg

payload 80 kg



2088-1001
Euro-Clamp
Euro to Euro



2248-0
Euromount with
scaffold clamp



2249-0/2249-01
Truss connection plate
for Euro mount / Mitchell



2005-1007
Euro Adapter with 3
screws and threads hart-
coated (new Magnum)



2113-0
Euromount on 28 mm
lightstud



N100-6
Euromount 80/120 mm
w. clamp bolt



N800-2a
System low rig adapter



2087-25
Double Euro Mount



N100-5a
Euromount 80/95
hartcoated



N100-3
Euro Adapter N



2087-7
System low rig end piece
"Euromount"



2201-0
Universal safety plate for
ball adapter (M12)



2242-0
Vinten to Euro Adapter



2912-1000
Turnstile



2244-01
Euro Adapter on Vinten

Rotatable Euro adapters



NEW!

i: the newly designed twistable Euro-Adapters have an integrated and smoothly running bearing. The swivel bearing can be locked by means of the clamping lever.

2021-200
Euro Adapter
360° twistable
Euro to Euro



NEW!

2021-100
Euro Adapter
360° twistable
Double-Euro



NEW!

2021-300
Euro Adapter
360° twistable
Euro to System-Low-Rig



2091-0
Euro Adapter
360° twistable
Euro to Euro
"old version"
(availability on request)

Others



2026-0
Adapter from Mitchell to
Euromount w. long and
short bolt



2241-0
Tripod Adapter from ball
100 mm to Euro



2240-0
Tripod Adapter from ball
150 mm to Euro



2240-01
Tripod Adapter from ball
150 mm to 3/8"



8315-780
Adapter for DJI Ronin2
to Euro



2041-30 SET
Euroclamp to
Standard mount



2041-40 SET
Euromount to
Standard mount



1029-1
Multi Adapter Steering



2057-1
Connection bolt



N200-1000
Quick release
clamp bolt, 28mm

Off Set Arms / Extensions



2082-0
Adjustable
Off-Set arm



2083-0
Off-Set am short



2086-0
Off-Set Euro Adapter
extension



2087-14Set
Euro Off-Set - long
Euro to Euro



2087-21Set
Euro Off-Set - medium
Euro to Euro

Mitchell



2041-10
Mitchell Base Plate
standard mount



2050-01SET
Adapter from Mitchell to
Ball adapter incl. key



1532-0
Long camera
extension Michell



1534-0
Short camera extension
Mitchell



2050-1100
Key extension for
Mitchell fixation

Ball Adapters 100/ 150mm / Mitchell



2032-0
Bowl Adapter
straight 100 mm



2031-0
Bowl Adapter
150 mm



2043-0
Bowl Adapter
Mitchell



2036-0
Offset Bowl Adapter 100
mm short (184mm)



2037-0
Offset Bowl Adapter
100 mm middle (250mm)



2038-0
Offset Bowl Adapter
100 mm long (350mm)



2049-01
Side Bowl XL
100 mm (550mm)



2033-0
Offset Bowl Adapter
150 mm short (184mm)



2034-0
Offset Bowl Adapter
150 mm medium (250mm)



2035-0
Offset Bowl Adapter
150 mm long (350mm)



2049-0
Offset Bowl Adapter
150 mm XL (550mm)

Offset 4-Way-Leveller



2250-6200SET2
Offset 4-Way-Leveller
short (184mm)



2250-6200SET3
Offset 4-Way-Leveller
medium (250mm)



2250-6200SET4
Offset 4-Way-Leveller
long (350mm)



2250-6200SET5
Offset 4-Way-Leveller
XL (550mm)

Inserts For Ball Adapter / Adapter Rings



2041-10
Mitchell Base Plate
standard mount



2031-3
Bowl Insert 150 mm
standard mount



2032-1
Bowl Insert 100 mm
standard mount



2039-1
Bowl Insert 150mm
to 100 mm



8532-1
Bowl Insert
100 mm to 75 mm



2066-1
Bowl Insert
150 mm to 75 mm

Extension Systems



2041-1001 SET
Extension 70mm



2041-1002 SET
Extension 140mm



2041-1003 SET
Extension 240mm



2041-1004 SET
Extension 340mm



2041-1005SET
Extension 440mm

Adapters for Extension System



2041-24 SET
Adapter Mitchell
standard mount



2041-30 SET
Euroclamp to
standard mount



2041-40 SET
Euromount to
standard mount



2250-6200SET1
4 Way leveler with
standard mount

Rocker Plate



2205-0
Rocker Plate Base Plate
(availability on request)



2205-900
Rocker Plate on
standard mount



2181
Transport case for
Rocker Plate

i: STANDARD MOUNT

This standardized hole pattern allows for an almost limitless combination of MovieTech accessories.
All accessories with the "Standard Mount" fit on the widely used hole pattern as known from the "ball adapters", via 4 screws.

System Low Rig



2087-01 Set
System Low Rig Set incl.
hard case (for standard
Euromount)



2087-7
System low rig end piece
"Euromount"



2087-5
System low rig tube
connector



2087-4
System low rig end piece



2021-300
Euro Adapter
360° twistable
Euro to System-Low-Rig



N800-2
System low rig adapter
"big" f. SLRT 80mm)



2087-1/2/3
System low rig tube
300/400/765 mm



2005-3500
Adapter for
System Low Rig
(for Magnum turnstyle)



2005-3500Set
System Low Rig Set
(for Magnum turnstyle)
complete incl. hard-case



2087-14Set
Euro Off-Set - long
Euro to Euro



2087-21Set
Euro Off-Set - medium
Euro to Euro



2081-9
Footrest tube for
System Low Rig



2970-1007Set
Adapter for System Low
Rig Tube with 3 screws

Accessories Mini Low Rig



2104-0
Mini low rig



2105-0
Adapter for Mini Low rig
"S"



2116-0
Adapter for Mini low rig
"M"



2115-0
Adapter for Mini low
rig "L"

Seat Arms



2054-0
Seat Arm
vertical 10 cm



2055-0
Seat Arm
vertical 20 cm



2056-00
Seat Arm
vertical 30 cm



2051-0
Seat Arm
combined 10 cm



2052-0
Seat Arm
combined 20 cm



2053-0
Seat Arm
combined 30 cm

Seats



2058-0
Round Seat for Dolly



2300-8500
Telescopic Seat




7740-0
Cushioned Seat
with seat belt

Scaffolding Tube Adapter



2248-0
Euromount with
scaffold clamp




2249-0/2249-01
Truss connection plate
for Euro mount / Mitchell



4700-9600
Scaffolding tube 48,2mm
with Flatbase (Mitchell)
and Standard mount

Low Shot Plate



2042-0
Low shot plate

Rostrums



2270-100
Rostrum
100 x 100 x
50cm



2270-150
Rostrum
100 x 100 x
100cm



2280-1
Platform wood
100 x 100cm



2250-1
Corner for
Rostrum

TANSPORT CASES

Transport Cases



CODE	DESCRIPTION	
2160	Transport Case for Magnum/Alpha dolly	
2161	Transport Case for column	
2165	Transport Case for aluminium platform set	
2167	Transport Case for Kirin Duo Jib complete (New Version)	
2168	Transport Case for system low rig	
2169	Transport Case for Mini Jib arm	
2170	Transport Case for low rig	
2171	Transport Case for U-Bangi	
2172	Transport Case for track wheels Magnum dolly	
2173	Transport Case for set of risers	
2174	Transport Case for pneumatic / studio wheels	
2175	Transport Case for electronic and handcontrol	
2181	Transport Case for Rocker Plate	
2192	Transport Case for Movie Jib	
2166	Transport Case for dolly accessories	
2193	Transport Case for bullstand 120 tripod	
2199	Transport Case for Gizmo Jib L	
M5982	Transport Case trackwheelset curve	
M3397	Transport Case for MT Grip Kit	cases are not discountable



8314-0
ABC Crane 100

CRANE 100

Travel Crane with professional accessories + separable Tower Tube!

High weight capacity of 20kg (44.09 lb)

- Separable king post for more space allowance indoors!
- Light construction with square profiles 9 x 9 cm (3.54 inch), provides extreme rigidity!

Additionally, crane segments are bolted together for optimum resistance to torsion!

- Circular openings in the segments result in weight reduction
- High weight addition of 20 kg (44.09 lb) in version 8
- Short assembly times! (complete assembly in approx. 20 minutes!)

Crane lengths Kranlängen

	max. camera weight	Front crane arm	Back crane arm	Total length
	in pounds / kilogram	in feet / meter	in feet / meter	in feet / meter
Crane 100	44.09 lb / 20 kg			
Large version		20.96 ft / 6,39 m	5.45 ft / 1,66 m	26.41 ft / 8,05 m
Medium version		16.11 ft / 4,91 m	5.45 ft / 1,66 m	21.19 ft / 6,46 m
Short version		11.02 ft / 3,36 m	5.45 ft / 1,66 m	16.10 ft / 4,91 m

Including: Crane-head segment with Euro mount connection for Remote Head, End segment, 2 Extension segments, Main segment with foldable outrigger and two-piece tower-tube, Weight tube with safety rings, Crane prop, Clamp unit (brake) with clamp lever, Hand-adjustment lever (control rig crane head angle), 2 integrated water-levels, Star screw M12 for crane prop, Rig Set 3 control rigs for crane angle setup, Rig Set 3 outrigger rigs (lateral bracing), Rig Set 3 tower rigs (carrying brace) for versions 5.01 m (16.44 ft) / 6.56 m (21.52 ft) / 8.11 m (26.61 ft), Screw Set M6 segment screws 15 pcs. + 3 spare screws, Manual



8320-03
ABC Combi Crane
complete

Carbon Travel Crane 4,5m

- payload up to 20kg (V1) / 6,5kg (V4)
- up to 4,5m front arm
- lightweight carbon fiber construction
- multifunctional head, integrated 80mm



8230-00
ABC DSLR Jib
complete

Carbon Travel Jib 2m

- payload up to 4,5 kg
- 1,52 m front arm
- lightweight carbon fiber construction 3,9kg



8417-0
ABC V5
Remote Head

Mini Remote Head

- for cameras up to 3,5 kg (7.71 lbs), net weight only 2.5 kg (5.51 lbs)
- continuous speed control, switcher for direction assignment
- including control joystick, 12m cable, power supply and hard-case

The photos do not correspond to the standard delivery package.

SPEEDY CRANE

Speedy Crane



8313-0 ABC Speedy Crane 6
8313-02A ABC Speedy Crane 9

The successful Broadcast-Crane. The successful Broadcast-Crane.

Camera up to 13kg/28.6 lb

Camera up to 13kg/28.6lb or 10kg/22.0lb

- Extremely short assembling times! (complete assembly in approx. 10 minutes!)
- Base-located hand grip for continuous adjustment of the crane-head angle!
- Pin for fixed horizontal position when using a Remote Head
- Wired rigs are separately colored – no danger of mix-up!
- 3 different assembly lengths including extensible bracket rig (small/medium/large)
- Universal deployable for high flexibility
- Upgradeable with light ABC - Remote Head "V5" at DV/HDV-Camcorder allows both pan and tilt with a 360 degree vertical and horizontal. Please check camera weight!

Crane lengths Kranlängen

	max. camera weight	Front crane arm	Back crane arm	Total length
	in pounds / kilogram	in feet / meter	in feet / meter	in feet / meter
Speedy 9	22.05 lb / 10 kg	23.56 ft / 7,18 m	3.54 ft / 1,08 m	27.10 ft / 8,26 m
Speedy 6	28.66 lb / 13 kg			
Large version		15.03 ft / 4,58 m	3.54 ft / 1,08 m	18.57 ft / 5,66 m
Medium version		9.78 ft / 2,98 m	3.54 ft / 1,08 m	13.98 ft / 4,26 m
Short version		5.51 ft / 1,68 m	3.54 ft / 1,28 m	9.71 ft / 2,96 m

**The photo does not correspond to the standard delivery package.

Including: Crane segment with axis for crane prop (base element for tripod assembly, Extension segments (3 with Speedy 9) Segment with Outrigger, Segment with crane-head, Crane prop, Crane-head with Euromount connection (for Remote Head assembly), Adjustment frame for crane angle adjustment, Camera screw 1/4 inch, Camera screw 3/8 inch, Rig Set for assembly length "small" (2.74 m / 8.98 ft total length), Set rig extensions "medium" (4.04 m / 13.25 ft total length), Rig Set for assembly length "large" (3.48 m / 11.41 ft total length), Only Speedy 9: 1 Rig Set for assembly length "x-large" (7.94 m / 26.04 ft total length), Weight support bar (Ø 28mm / 1.10 inch, Length 800mm / 31.49 inch), Safety split pin for weights, Transport bag, Manual



7703-0 / 7707-0 / 7715-0
Counterweight
4 kg / 8kg / 16kg



M2146/M2139/M2138
Counterweight
1,25kg/ 2,5kg/5kg



8321-01
Tripod 132 X modified

**The photo does not correspond to the standard



8510-01Set
Willi Go Dolly
incl. Softbag

Willi Go Dolly

8410-01 Set includes:
- Dolly
- Soft-bag for Dolly
- ABC Light Track 6,4m - straight
- Soft-bag for tracks



8511-01 Set
ABC Light Track 6.40 m
incl. soft-bag





8521-300
ABC Light Track Curve
(1/16 circle)



M4889
Hardcase for
Willi Go





MOVIETECH ON SET - SINCE 1993

DISCLAIMER

Although the information in this price list is presented in good faith and believed to be correct at the time of printing,

MovieTech AG makes no representations or warranties as to the accuracy of the information. MovieTech AG has no liability for any errors or omissions in the materials.

MovieTech AG reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice. Persons receiving this information will make their own determination as to its suitability for their own purposes prior to use. In no event will MovieTech AG be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information from this catalog or the products to which the information refers.

All weights and measures shown are best approximations.

Prices shown are list prices and are subject to trade discount and to change without notice. Prices may also be changed without notice due to unforeseen cost increases of imported products, raw materials, or currency fluctuations. All prices are listed in EURO and are ex-works excluding package and handling costs. Transport and insurance will be arranged upon request.

Pictures shown may vary from actual products. Refer to page [TBA](#) for more details.

The entire contents of this site is copyright © 2023 MovieTech AG. All rights reserved. Unauthorized reproduction is prohibited

MOVIE TECH AG
Martin-Kollar-Str 9
D-81829 München
www.movietech.de | info@movietech.de



MovieTech

GRIP EQUIPMENT YOU CAN RELY ON